

VOC EMISSIONS CERTIFICATE


IN ACCORDANCE WITH DIRECTIVE 2004/42/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (21/04/2004)

Kilnher, manufacturer of microcement and decorative coatings, certifies that the following products have the following volatile particle emissions (VOC):

PRODUCT	PRODUCT SUBCATEGORY	PRODUCT TYPE	CALCULATED VOC CONTENT EN ISO 11890-2-2021	LIMIT VALUÉ EU VOC 2004/42/EC
Microne	a) matt walls (Gloss<25@60°)	WB	25 g/l	30 g/l
Aquamax pro	j) Two pack reactive coating	WB	66 g/l	140 g/l
Aquapur 70	j) Two pack reactive coating	WB	57 g/l	140 g/l
Hidroprimer	l) one pack performance coating	WB	25 g/l	140 g/l
Primer 100	l) one pack performance coating	WB	12 g/l	140 g/l
Aquashell	l) one pack performance coating	WB	73 g/l	140 g/l
Impripox	l) one pack performance coating	WB	150 g/l	500 g/l
Aqua 24	l) one pack performance coating	WB	25 g/l	140 g/l

Signed by and on behalf of the manufacturer by:

* Calculated by Gas-chromatographic Kilnher
Classification of products according to VOC emission test.



.....
Andrés Hernández
Laboratory Technical Director

